

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Original): A polycarbonate resin composition comprising:

- (A) 5 to 98 parts by weight of a polycarbonate-polyorganosiloxane copolymer,
 - (B) 0 to 93 parts by weight of a polycarbonate resin,
 - (C) 2 to 50 parts by weight of titanium oxide,
 - (D) 0 to 1.0 parts by weight of a fibril-forming polytetrafluoroethylene, and
 - (E) 0.05 to 2.0 parts by weight of an organosiloxane, wherein
- the sum of the ingredients (A), (B), and (C) is 100 parts by weight.

Claim 2 (Original): The polycarbonate resin composition according to claim 1, wherein the ratio of the polyorganosiloxane part in the polycarbonate-polyorganosiloxane copolymer of ingredient (A) to the sum of the ingredients (A) and (B) is 0.3 to 10% by weight.

Claim 3 (Currently Amended): The polycarbonate resin composition according to claim 1-~~or 2~~, wherein the polyorganosiloxane in the polycarbonate-polyorganosiloxane copolymer of ingredient (A) is polydimethylsiloxane.

Claim 4 (Currently Amended): The polycarbonate resin composition according to claim 1-~~or 2~~, wherein the surface acid content of the titanium oxide of ingredient (C) is 10 $\mu\text{mol/g}$ or more.

Claim 5 (Currently Amended): The polycarbonate resin composition according to claim 1-~~or~~2, wherein the surface base content of the titanium oxide of ingredient (C) is 10 $\mu\text{mol/g}$ or more.

Claim 6 (Currently Amended): The polycarbonate resin composition according to claim 1-~~or~~2, wherein the organosiloxane of ingredient (E) is organopolysiloxane.

Claim 7 (Currently Amended): The polycarbonate resin composition according to claim 1-~~or~~2, wherein the organosiloxane of ingredient (E) is an alkylhydrogensilicone or an alkoxysilicone.

Claim 8 (Original): The polycarbonate resin composition according to claim 7, wherein the alkoxysilicone is an organopolysiloxane with a molecular structure in which an alkoxy group bonds to a silicone main chain through a methylene group.

Claim 9 (Original): A polycarbonate resin molding obtained by molding of the polycarbonate resin composition according to claim 1.

Claim 10 (Original): The polycarbonate resin molding according to claim 9, wherein the molding is a plate, a sheet, a film, or a molding obtained by thermomolding or pressmolding thereof.

Claim 11 (Original): The polycarbonate resin molding according to claim 9, wherein the molding is a molding obtained by injection-molding.

Claim 12 (Currently Amended): The polycarbonate resin molding according to any of ~~claims 9 to 11~~ claim 9, wherein the molding is a light reflector.

Claim 13 (Original): The polycarbonate resin molding according to claim 12, wherein a reflectance (Y value) of the polycarbonate resin composition composing the light reflector is 93 or more and a total light transmittance thereof (wall thickness: 1 mm) is 0.6 or less.

Claim 14 (Original): The polycarbonate resin molding according to claim 13, wherein a product $A \times B$ is 150 or more, wherein A (in the unit of nm) is the surface roughness Ra of the light reflector measured through intermittent contact with an AFM (atomic force microscope) and B (in the unit of g) is the titanium oxide content thereof.